

1 Does Socially Prescribed Perfectionism Predict Daily Conflict? A 14-Day Daily Diary Study of
2 Romantic Couples Using Self- and Partner-Reports

3

4 Simon B. Sherry^{a,b,*}, Dayna L. Sherry^c, Matthew A. Macneil^d, Martin M. Smith^e,
5 Sean P. Mackinnon^{a,b}, Sherry H. Stewart^{b,a}, and Martin M. Antony^f

6

7

3135 WORDS

8

9 ^aDepartment of Psychology and Neuroscience, Dalhousie University, 1355 Oxford Street, PO
10 Box 15000, Halifax, Canada B3H4R2

11 ^bDepartment of Psychiatry, Dalhousie University, 5909 Veteran's Memorial Lane, Halifax,
12 Canada B3H2E2

13 ^cQueen Elizabeth II Health Sciences Centre, 1276 South Park Street, Halifax, Canada B3H2Y9

14 ^dDepartment of Psychology, University of Saskatchewan, 9 Campus Drive, Saskatoon, Canada
15 S7N5A5

16 ^eDepartment of Psychology, Western University, 1151 Richmond Street, London, Canada
17 N6A3K7

18 ^fDepartment of Psychology, Ryerson University, 350 Victoria Street, Toronto, Canada M5B2K3

19

20 *Corresponding author. Tel.: +1-902-494-8070; fax: +1-902-494-6585.

21 *E-mail address:* simon.sherry@dal.ca (S.B. Sherry).

22

1
2
3
4
5
6
7
8

Highlights

- Some people view their romantic partners as rigidly demanding perfection of them.
- We refer to this trait as partner-specific socially prescribed perfectionism (SPP).
- 226 romantic couples were studied using a 14-day daily diary design.
- Self-reports and partner-reports of SPP correlated moderately.
- SPP predicted increases in daily conflict in men, but not in women.

1 Abstract

2 People high in partner-specific socially prescribed perfectionism view their romantic partners as
3 rigidly demanding perfection of them. Case histories and theoretical accounts identify conflict
4 with romantic partners as a recurrent, core interpersonal problem for people high in partner-
5 specific socially prescribed perfectionism. Most research in this area uses mono-source, cross-
6 sectional designs. The present study advances this research by studying perfectionism and
7 conflict in 226 romantic couples using a 14-day daily diary design involving self- and partner-
8 reports. As hypothesized, self- and partner-reports of partner-specific socially prescribed
9 perfectionism correlated moderately. Results for men were consistent with hypotheses: Self- and
10 partner-reports of partner-specific socially prescribed perfectionism predicted changes in self-
11 and partner-reports of conflict, even after controlling for reassurance-seeking and previous day's
12 conflict. Contrary to hypotheses, reassurance-seeking was a better predictor of conflict for
13 women. Results indicate men high in partner-specific socially prescribed perfectionism engage in
14 self-defeating interpersonal behaviors. They are over concerned about—yet in daily conflict
15 with—their partners.

16 *Keywords:* perfectionism, reassurance-seeking, conflict, dyads, daily diary, informants

17

1 NOTICE: This is the author's version of a work accepted for publication by Elsevier. The original
2 publication is available at: <http://www.journals.elsevier.com/personality-and-individual-differences/>
3

4 Sherry, S. B., Sherry, D. L., MacNeil, M. A., Smith, M. M., Mackinnon, S. P., & Sherry, S. H.
5 (2014). Does socially prescribed perfectionism predict daily conflict? A 14-day diary study of
6 romantic couples using self- and partner-reports. *Personality and Individual Differences*. 61-
7 62, 24-27. doi: [10.1016/j.paid.2013.12.028](https://doi.org/10.1016/j.paid.2013.12.028)

1 **1. Introduction**

2 Some people have personality traits that impede their ability to participate in positive
3 interpersonal relationships. Perfectionism represents one such trait. Perfectionism is related to
4 interpersonal problems, even after controlling for well-established predictors of interpersonal
5 problems (e.g., neuroticism; Hewitt, Flett, Sherry, & Caelian, 2006). Nonetheless, gaps exist in
6 our understanding of the association between perfectionism and interpersonal problems. We
7 address these gaps by conducting a rigorous, comprehensive test of the perfectionism-
8 interpersonal problems connection. Specifically, we study perfectionism and daily conflict in
9 romantic couples using a daily diary design with self- and partner-reports.

10 There are several dimensions of perfectionism (Frost, Marten, Lahart, & Rosenblate,
11 1990; Hewitt & Flett, 1991). Among these, people high in socially prescribed perfectionism
12 (SPP; i.e., perceiving others as demanding perfection of oneself) are likely to generate and/or
13 perceive negative social interactions (Hewitt & Flett, 1991). Indeed, SPP is consistently linked
14 with interpersonal problems (Hewitt et al., 2006). In the present study, we operationalize SPP in
15 partner-specific terms (see Stoeber, 2012). Partner-specific SPP involves a maladaptive social
16 schema predisposing people to view their romantic partners as requiring perfection (e.g., “My
17 partner expects nothing less than perfection from me”).

18 We examine partner-specific SPP in relation to daily conflict (i.e., daily hostile, critical,
19 rejecting, and inconsiderate behaviors directed toward a romantic partner). We focus on daily
20 conflict because theoretical accounts identify it as central to socially prescribed perfectionists’
21 interpersonal problems (Hewitt et al., 2006). Such people appear to think (e.g., perceive partners
22 as demanding), feel (e.g., exhibit negative affect around partners), and behave (e.g., avoid
23 partners) in ways that generate daily conflict with their romantic partners (Mackinnon et al.,
24 2012). Consistent with our conceptualization, partner-specific SPP is linked to lower dyadic

1 adjustment in marital relationships (Haring, Hewitt, & Flett, 2003) and lower satisfaction in
2 dating relationships (Stoeber, 2012).

3 Most perfectionism studies use cross-sectional, mono-source designs. Cross-sectional
4 designs neglect questions of temporal precedence, whereas mono-source designs involve
5 potential biases (e.g., defensiveness). People may become accustomed to their behavior, failing
6 to report it accurately. Additionally, people high in SPP feel pressured to be perfect and may
7 conceal imperfections in self-report measures (Sherry et al., 2013).

8 The three perfectionism studies with informants found self- and informant reports of SPP
9 correlated moderately (r s from .23 to .39). These studies involved best friends (Flett, Besser, &
10 Hewitt, 2005), mothers and daughters (Mushquash, Sherry, Sherry, & Allen, 2013), and “mixed”
11 informants (e.g., friends, parents, etc.; Sherry et al., 2013). A study with romantic partners as
12 informants is novel. Romantic partners are well-acquainted, have shared histories, and witness
13 behaviors across contexts. Moreover, little is known about perfectionism and interpersonal
14 problems in men, as relevant studies involve mainly women (Sherry et al., 2013).

15 Socially prescribed perfectionists are rarely studied in dyads. Instead, they are studied as
16 individuals apart from interpersonal context. By studying romantic relationships, researchers can
17 investigate socially prescribed perfectionists in a more contextualized, ecologically valid way. It
18 is also unclear if the link between partner-specific SPP and conflict holds after accounting for
19 competing variables. An apparent link between these constructs may be an artifact arising from
20 shared variance with third variables (e.g., reassurance-seeking).

21 Our study overcomes problems in past work. Our daily diary design increases reliability
22 (due to multiple reporting occasions) and reduces recall bias (by collecting data closer to an
23 event’s occurrence). We also studied romantic couples and supplemented self-reports with

1 partner-reports. Our sample is equal parts men and women, allowing us to study partner-specific
2 SPP and daily conflict in both genders. Moreover, we tested if the relation between partner-
3 specific SPP and daily conflict holds after controlling for reassurance-seeking (i.e., excessively
4 asking your partner if he/she cares about you). Reassurance-seeking is a suitable covariate as it
5 shares variance with perfectionism and conflict (Starr & Davila, 2008).

6 Building on past work (Sherry et al., 2013), we hypothesized self- and partner-reports of
7 partner-specific SPP would correlate moderately. We also hypothesized self- and partner-reports
8 of partner-specific SPP would predict changes in self- and partner-reports of daily conflict after
9 controlling for reassurance-seeking and previous day's conflict. No gender differences were
10 hypothesized, given the paucity of evidence.

11 **2. Method**

12 *2.1. Participants*

13 Participants met inclusion criteria: They had internet access; at least one member of the
14 couple was attending university; they were in a romantic relationship for ≥ 3 months; they had
15 face-to-face contact ≥ 5 days a week. Inclusion criteria helped to ensure members of romantic
16 couples had a history of frequent interaction. In total, 226 heterosexual couples were recruited
17 (226 men; 226 women). Men averaged 22.35 years of age ($SD = 4.52$); women averaged 21.48
18 years of age ($SD = 4.13$). Most participants self-identified as Caucasian (men 88.5%; women
19 88.5%), reported face-to-face contact with their partner an average of 6.44 days per week ($SD =$
20 0.84), and were in a relationship with their partner an average of 2.10 years ($SD = 2.23$).

21 *2.2. Measures*

22 *2.2.1. Partner-specific SPP*

23 Self-reports of SPP were measured using the 5-item short form of the SPP scale from

1 Hewitt and Flett's (1991) *Multidimensional Perfectionism Scale*. Items were modified to be
2 partner-specific (e.g., "My family expects me to be perfect" was changed to "My partner expects
3 me to be perfect"). Mackinnon et al. (2012) conducted a psychometric study supporting the alpha
4 reliability and convergent validity of this partner-specific self-report measure.

5 Partner-reports of SPP were measured using the 5-item short form of the SPP scale from
6 Hewitt and Flett's (1991) *Multidimensional Perfectionism Scale*. Self-report items (e.g., "My
7 partner expects me to be perfect") were modified into partner-report items (e.g., "My partner
8 believes that I expect them to be perfect"). Participants responded on a 7-point scale from 1
9 (*strongly disagree*) to 7 (*strongly agree*) for self- and partner-reports of SPP. Scores range from
10 5 to 35 for self-reports of SPP and from 5 to 35 for partner-reports of SPP. Our partner-report
11 measure of SPP was created for this study; research on its psychometrics is limited. Mackinnon
12 et al. (2012) found this partner-report measure has an alpha reliability of .84 and correlates
13 significantly ($r = .59$) with a partner-report measure of concern over mistakes (Frost et al., 1990),
14 supporting the convergent validity of this measure.

15 2.2.2. *Reassurance-seeking*

16 Self-reports of reassurance-seeking were measured using the 4-item reassurance-seeking
17 scale from Joiner and Metalsky's (2001) *Depressive Interpersonal Relationships Inventory*.
18 Items were modified to be partner-specific (e.g., "Do you frequently seek reassurance from the
19 people you feel close to as to whether they care about you?" was changed to "Do you frequently
20 seek reassurance from your partner as to whether they care about you?"). Participants responded
21 on a 7-point scale from 1 (*not at all*) to 7 (*very much*). Scores range from 4 to 28 for this scale.
22 Studies support the alpha reliability and convergent validity of this self-report measure (Joiner &
23 Metalsky, 2001).

1 2.2.3. *Daily conflict*

2 Self-reports of daily conflict were measured using Murray, Bellavia, Rose, and Griffin's
3 (2003) 7-item scale of rejecting interpersonal behaviors (e.g., "I insulted my partner"). A
4 psychometric study by Mackinnon et al. (2012) supported the alpha reliability and convergent
5 validity of this self-report measure.

6 Partner-reports of daily conflict were measured using Murray et al.'s (2003) 7-item scale
7 of rejecting interpersonal behaviors (e.g., "My partner insulted me"). For both self- and partner-
8 reports of daily conflict, participants responded on a 9-point scale from 1 (*strongly disagree*) to 9
9 (*strongly agree*) and used a 24-hour timeframe. Scores range from 7 to 63 for self-reports of
10 daily conflict and from 7 to 63 for partner-reports of daily conflict. Evidence supports the alpha
11 reliability and convergent validity of this partner-report measure (Murray et al. 2003).

12 2.3. *Procedure*

13 XXXX University's Ethics Board approved our study. Couples were recruited via flyers
14 and XXXX University's Psychology participant pool. In Phase 1, participants completed
15 measures of partner-specific SPP and reassurance-seeking in a lab. Phase 2 began the next day
16 and lasted 14 consecutive days. We used a 14-day period to account for possible day-of-the-
17 week effects and to allow for numerous interactions between members of couples. In Phase 2,
18 each night before bed, participants completed an online questionnaire assessing daily conflict.
19 Participants received daily email reminders. Participants received \$25 or \$10 and three bonus
20 credits as compensation.

21 2.4. *Protocol compliance and data analytic plan*

22 In Phase 1, missing data were minimal, with participants providing > 99.0% of data. In
23 phase 2, 80.2% of daily dairies were usable (5075 in total). Participants completed an average of

1 11.23 daily diaries ($SD = 2.83$). Response rates ranged from 75.2% (Day 10) to 84.1% (Day 5).
 2 Missing data were handled with a full information maximum likelihood approach.

3 Our data involve a multilevel structure. Level 1 reflects daily variables measured at Phase
 4 2 (daily conflict) and captures day-to-day variation within individuals. Level 2 reflects individual
 5 differences measured at Phase 1 (partner-specific SPP and reassurance-seeking) and captures
 6 between-person differences. We ran multilevel models using HLM 6.04 and the following
 7 formula:

$$8 \quad \text{DAILY CONFLICT} = \beta_{00} + \beta_{01} * (\text{REASSURANCE-SEEKING SELF-REPORT}) + \beta_{02} * (\text{SPP SELF-REPORT}) + \beta_{03} * (\text{SPP PARTNER-REPORT}) + \beta_{10} * (\text{PREVIOUS DAY'S} \\ 9 \quad \text{CONFLICT}) + r_0 + e$$

11 3. Results

12 Daily conflict variables in Table 1 were aggregated across 14 days. Means (Table 1) were
 13 within one standard deviation of means from previous studies of undergraduates (Mackinnon et
 14 al., 2012), indicating consistency with previous studies. Alpha reliabilities were adequate ($\geq .73$)
 15 and congruent with earlier research (Mackinnon et al., 2012).

16 All correlations were positive in direction (see Table 1). As hypothesized, self- and
 17 partner-reports of partner-specific SPP correlated for men and women. These variables also
 18 correlated with reassurance-seeking in both genders. Self-reports of partner-specific SPP were
 19 correlated with self- and partner-reports of daily conflict in men and women. Partner reports of
 20 partner-specific SPP were correlated with self- and partner-reports of daily conflict only in men.
 21 Reassurance-seeking was correlated with self- and partner-reports of daily conflict in men and
 22 women. Self- and partner-reports of daily conflict correlated in both genders. Within dyad
 23 correlations occurred between self- and partner-reports of daily conflict. Study variables were
 24 unrelated to demographics.

1 As hypothesized, self- and partner-reports of partner-specific SPP predicted increases in
2 self- and partner-reports of daily conflict in men (Table 2). Reassurance-seeking did not predict
3 self- and partner-reports of daily conflict in men. Contrary to hypotheses, self- and partner-
4 reports of partner-specific SPP did not predict changes in self-reports of daily conflict in women
5 (Panel 1 of Table 2). Only self-reports of partner-specific SPP predicted increases in partner-
6 reports of daily conflict in women (Panel 2 of Table 2). Reassurance-seeking predicted increases
7 in self- and partner-reports of daily conflict in women (Table 2).

8 **4. Discussion**

9 Research suggests socially prescribed perfectionists have interpersonal problems (Hewitt
10 et al., 2006), but this research is overreliant on cross-sectional, mono-source designs. Our study
11 complements and extends past research (Mushquash et al., 2013) by showing self- and partner-
12 reports of partner-specific SPP correlated moderately. For men, self- and partner-reports of
13 partner-specific SPP predicted increases in self- and partner-reports of daily conflict, after
14 controlling for reassurance-seeking and previous day's conflict. For women, reassurance-seeking
15 was a stronger, more consistent predictor of daily conflict than partner-specific SPP.

16 As hypothesized, self- and partner-reports of partner-specific SPP correlated moderately,
17 supporting the convergent validity of the partner-specific SPP construct, and suggesting SPP is
18 salient in interpersonal contexts. Our study also makes a novel contribution by showing
19 individuals can reliably report on their romantic partner's partner-specific SPP.

20 Supporting our hypotheses, self- and partner-reports of partner-specific SPP predicted
21 changes in self- and partner-reports of daily conflict in men. Results suggest partner reports of
22 partner-specific SPP capture information nonredundant with self-reports of partner-specific SPP.
23 Men high in partner-specific SPP appear to engage in self-defeating interpersonal behaviors.

1 Believing their partners require them to be perfect, they are overconcerned about—yet in daily
2 conflict with—their partners. They may perceive pressure to meet their partner’s demands and
3 subsequently engage in conflictual behavior.

4 For women, results were largely counter to hypotheses, although self-reports of partner-
5 specific SPP predicted changes in partner-reports of daily conflict. Self- and partner-reports of
6 reassurance-seeking predicted changes in self- and partner-reports of daily conflict in women.
7 Perhaps women engage in a more pernicious form of reassurance-seeking or men are more
8 intolerant of this behavior in romantic partners. Women high in partner-specific SPP may also
9 respond to perceived pressure to meet their partner’s demands in non-conflictual ways (e.g.,
10 appearing perfect). Overall, our study replicates research indicating reassurance-seeking fosters
11 conflict (Starr & Davila, 2008). We also extend this research by showing reassurance-seeking is
12 a better predictor of daily conflict for women, whereas partner-specific SPP is a better predictor
13 of daily conflict for men.

14 We recruited a mainly Caucasian, heterosexual, undergraduate sample, raising questions
15 about generalizability. As our convenience sample reported less severe levels of perfectionism,
16 conflict, and reassurance-seeking, range restriction may have influenced our results. Less is also
17 known about the reliability and validity of our partner-specific measure of SPP. Partner-reports
18 may also contain biases (e.g., partners may hold overly positive views of each other). Future
19 studies might randomly select informants from participants’ social networks. Partner-specific
20 SPP is also an internal trait that is hard to directly observe. Finally, some participants may have
21 monitored their partners’ responses, thereby introducing a possible source of bias into our study.

22 Research suggests socially prescribed perfectionists generate and/or perceive negative
23 social interactions (Hewitt et al., 2006). Our study advances this research by using a daily diary

1 design involving self- and partner-reports. We found self- and partner-reports of partner-specific
2 SPP correlated moderately. Self- and partner-reports also converged to suggest men high in
3 partner-specific SPP engage in hostile, critical, rejecting, and inconsiderate behaviors directed
4 toward their romantic partners. Women high in partner-specific SPP seem to respond with less
5 overt daily conflict to perceived pressure to meet their partner's demands.
6

References

- 1
2 Flett, G., Besser, A., & Hewitt, P. (2005). Perfectionism, ego defense styles, and depression.
3 *Journal of Personality, 73*, 1355-1396.
- 4 Frost, R., Marten, P., Lahart, C., & Rosenblate, R. (1990). The dimensions of perfectionism.
5 *Cognitive Therapy and Research, 14*, 449-468.
- 6 Haring, M., Hewitt, P., & Flett, G. (2003). Perfectionism, coping, and quality of intimate
7 relationships. *Journal of Marriage and Family, 65*, 143-158.
- 8 Hewitt, P., & Flett, G. (1991). Perfectionism in the self and social contexts. *Journal of*
9 *Personality and Social Psychology, 60*, 456-470.
- 10 Hewitt, P., Flett, G., Sherry, S., & Caelian, C. (2006). Trait perfectionism dimensions and suicide
11 behavior. In T. Ellis (Ed.), *Cognition and suicide* (pp. 215–235). Washington, DC:
12 American Psychological Association.
- 13 Joiner, T., & Metalsky, G. (2001). Excessive reassurance-seeking. *Psychological Science, 12*,
14 371-378.
- 15 Mackinnon, S., Sherry, S., Antony, M., Stewart, S., Sherry, D., & Hartling, N. (2012). Caught in
16 a bad romance. *Journal of Family Psychology, 26*, 215-225.
- 17 Murray, L., Bellavia, M., Rose, P., & Griffin, W. (2003). Once hurt, twice hurtful. *Journal of*
18 *Personality and Social Psychology, 84*, 126-147.
- 19 Mushquash, A., Sherry, S., Sherry, D., & Allen, S. (2013). Latent self-oriented and socially
20 prescribed perfectionism. *Personality and Individual Differences, 54*, 640-646.
- 21 Sherry, S., Nealis, L., Macneil, M., Stewart, S., Sherry, D., & Smith, M. (2013). Informant
22 reports add incrementally to the understanding of the perfectionism-depression
23 connection. *Personality and Individual Differences, 54*, 957-960.

- 1 Starr, L., & Davila, J. (2008). Excessive reassurance-seeking, depression, and interpersonal
- 2 rejection. *Journal of Abnormal Psychology, 117*, 762-775.
- 3 Stoeber, J. (2012). Dyadic perfectionism in romantic relationships. *Personality and Individual*
- 4 *Differences, 53*, 300-305.

1 Table 1

2 *Descriptive Statistics and Correlations*

Variable	Men			Women			1	2	3	4	5
	<i>M</i>	<i>SD</i>	α	<i>M</i>	<i>SD</i>	α					
1. Partner-specificSPP (self-report)	14.77	5.74	.78	10.69	4.68	.73	.12	.30	.29	.29	.33
2. Partner-specificSPP (partner report)	12.17	6.40	.82	12.55	5.87	.84	.24	.11	.24	.29	.31
3. Reassurance-seeking (self-report)	9.64	4.98	.86	10.28	5.50	.86	.23	.20	.12	.16	.19
4. Daily conflict (self-report)	13.06	5.98	.93	13.36	6.12	.93	.16	.04	.30	.41	.90
5. Daily conflict (partner-report)	13.72	6.82	.95	12.77	6.69	.94	.28	.13	.37	.85	.56

3 *Note.* SPP = socially prescribed perfectionism. For bivariate correlations, men are above and women are below the diagonal.

4 Within-couple correlations between men and women are in bold. Correlations > .14 are $p < .05$.

5

1 Table 2

2 *Multilevel Models Predicting Daily Conflict in Men*

Panel 1			Panel 2		
Self-report daily conflict			Partner-report daily conflict		
	<i>B</i>	<i>SE</i>		<i>B</i>	<i>SE</i>
Intercept	12.50***	0.40	Intercept	13.04***	0.42
Reassurance-seeking(self-report)	-0.01	0.08	Reassurance-seeking(self-report)	0.01	0.10
Previous day's conflict (self-report)	0.08*	0.04	Previous day's conflict (partner-report)	0.06	0.03
Partner-specific SPP (self-report)	0.25*	0.10	Partner-specific SPP (self-report)	0.32***	0.10
Partner-specific SPP (partner-report)	0.19*	0.08	Partner-specific SPP (partner-report)	0.18*	0.08

3 *Note.* SPP = socially prescribed perfectionism.4 * $p < .05$. ** $p < .01$. *** $p < .001$.

5

1 Table 3

2 *Multilevel Models Predicting Daily Conflict in Women*

Panel 1			Panel 2		
Self-report daily conflict			Partner-report daily conflict		
	<i>B</i>	<i>SE</i>		<i>B</i>	<i>SE</i>
Intercept	13.04***	0.42	Intercept	12.62***	0.44
Reassurance-seeking (self-report)	0.30***	0.08	Reassurance-seeking (self-report)	0.37***	0.09
Previous day's conflict (self-report)	0.05	0.03	Previous day's conflict (partner-report)	0.01	0.04
Partner-specific SPP (self-report)	0.16	0.11	Partner-specific SPP (self-report)	0.29**	0.10
Partner-specific SPP (partner-report)	-0.03	0.07	Partner-specific SPP (partner-report)	0.03	0.07

3 *Note.* SPP = socially prescribed perfectionism.4 * $p < .05$. ** $p < .01$. *** $p < .001$.

5

6